



THE NEXT GENERATION OF VERTICAL MIXERS



valmetal.com

MAKE  
LIFE BETTER

# CHOP BIG BALES FASTER + MIX FASTER AND BETTER = MAX ENERGY EFFICIENCY



## Characteristic

Fully welded tub ¼" (6 mm) thick

Tower style planetary gear box

¾" (19mm) thick floor

Left, right, front, rear unloading door available

540 RPM PTO shaft with shear bolt (also available at 1000 RPM)

Chute with magnet available

Tungsten carbide coated auger knives

Heavy-duty independent trailer



### ULTRA RESISTANT

Augers made of abrasion resistant steel



### HEAVY DUTY TRAILER

The V-Max is welded on a heavy-duty trailer specifically designed to support heavy loads, providing optimum results and long lasting performance.



### KNIVES

Tungstene carbide coated auger knives for a greater lifespan

# ULTRA- LOW PROFILE

# MAX

- PERFORMANCE
- EFFICIENCY
- LIABILITY

# 430 TO 630 FT<sup>3</sup> CAPACITY MODELS AVAILABLE



### V-MAX 630


- Height : 96" (244 cm)
- Length : 288" (732 cm)
- Width : 107" (272 cm)
- Capacity (w/o extension) : 540 Ft<sup>3</sup> (15,2 m<sup>3</sup>)
- Capacity (w/ extension) : 630 Ft<sup>3</sup> (17,8 m<sup>3</sup>)



### V-MAX 430

- Height : 100" (254 cm)
- Length : 148,5" (379 cm)
- Width : 88,5" (220 cm)
- Capacity (w/o extension) : 375 Ft<sup>3</sup> (10,6 m<sup>3</sup>)
- Capacity (w/ extension) : 430 Ft<sup>3</sup> (12,2 m<sup>3</sup>)






**MANY OPTIONS ARE ALSO AVAILABLE ON  
AUGER MIXER:**

- An extra discharge arm for even unload
- Addition of a “kicker” to improve the unloading
- Additional knives
- And many more

Specifications, descriptions and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without prior notice. Illustrations may include optional equipment and accessories, and may not include all standard equipment.

YOUR LOCAL DEALER:



230, Boulevard industriel  
Saint-Germain-de-Grantham  
(Québec) J0C 1K0 Canada  
Tel : 819 395-4282  
Fax : 819 395-2030



15497 State Hwy 131  
Tomah, WI 54660  
United States  
Tel : (608) 374-2206  
Fax: (608) 374-2302

[info@valmetal.com](mailto:info@valmetal.com) - [valmetal.com](http://valmetal.com)